

United States Home

**Track Shipments** 

**Detailed Results** 



Information Center | Customer Supp



Search




Freight Services Package / Envelope Services Same Day Services Ship Track Rates Pickup Locations Transit Time Internation

- **▶** Track Shipments
- ▶ Alternate Reference Track
- ▶ Email Track
- ▶ FedEx InSight
- ▶ Custom Critical
- Cargo Track
- ▶ FedEx Freight

#### **Related Links**

- Signature Proof
- ▶ My FedEx
- ► FedEx Wireless Solutions
- ▶ FedEx Address Checker



**Tracking Number** 791291870789 Reference Number 08291-619001 Ship Date 02/07/2003 Delivered To Recept/Frnt desk

> . LECLERC Signed For By Service Type Priority Pak

Quick Help

**Tracking Options** 

- Obtain a Signature Proof of Delivery
- Email these tracking results to one or more recipients
- Track More Shipments



FedEx Signature Proof of Delivery
Get it in writing! click here
Get it in writing! click here

Service Type Phonty Par	`	
Scan Activity	Date/Time	Comments
Delivered/CHAMPHOL FR	02/10/2003 14:30	
Delivery attempt/CHAMPHOL FR	02/10/2003 10:00	Customer not available or Business closed
Delivery attempt/CHAMPHOL FR	02/10/2003 10:00	Customer not available or Business closed
Package status/ROISSY FR	02/10/2003 07:02	
On FedEx vehicle for delivery/LIL SORT ID FR	02/10/2003 06:40	
Arrived at FedEx Destination Location/LIL SORT ID FR	02/09/2003 12:45	
Delivery attempt/CHAMPHOL FR	02/09/2003 07:16	Customer not available or Business closed

Arrived at Sort Facility/PARIS FR

Package status/LIL SORT ID FR

Left FedEx Sort Facility/PARIS FR

00:29 02/08/2003 21:56

05:56

02/08/2003 21:56

02/09/2003

02/09/2003

Package available for dearance

In transit in destination country

Arrived at Sort Facility/NEWARK NJ

Package status/PARIS FR

02/07/2003 23:12

02/07/2003 Arrived at Sort Facility/NEWARK NJ

23:12

**Email Your Detailed Tracking Results** 

Enter your email (optional), up to three email addresses as recipients, add your message, and click on Send Email.

From	
То	
То	

To

	[		
Add a	message to	this email.	
			CONTROL OF THE PROPERTY OF T
Se	end Email		

Global Home | Service Info | About FedEx | Investor Relations | Careers | fedex.com Terms of Use | Privacy Policy
This site is protected by copyright and trademark laws under U.S. and International law. All rights reserved. © 1995-2003 FedEx

### FISH RICHARDSON P.C.

45 Rockefeller Plaza Suite 2800 New York, New York

Telephone 212 765-5070

Facsimile 212 258-2291

Web Site www.fr.com

Frederick P. Fish 1855-1930

W.K. Richardson 1859-1951

20 November 2002

Mme. Séverine Poette Les berges de l'avre 877 rue de l'Abreuvoir F-27320 Nonancourt FRANCE

TA.

BOSTON

DELAWARE
NEW YORK

SAN DIEGO

SILICON VALLEY

TWIN CITIES

WASHINGTON, DC

Re: United States Application No. 09/381,890

PCT/GB98/00950 (WO 98/44898)

DEPILATORY COMPOSITIONS, THEIR PREPARATION AND USE

Our Ref.: 08291-619001

Dear Mme. Poette:

In order to proceed with the above-identified United States Patent Application for Project System H, it is necessary for you to execute the enclosed Combined Declaration and Power of Attorney. Attached to the Declaration is a complete copy of the Application including the written description, claims and drawings, which was published as WO98/44898 on 15 October 1998.

We would like to remind you that you are under obligation to sign the declaration by virtue of your continuing contractual obligations with Reckitt & Colman France. You have already assigned your rights in this application to Reckitt & Colman France. The enclosed declaration is a formal requirement under the patent laws of the United States.

We are also enclosing a return envelope for your convenience. Since we are not able to obtain stamps for the return envelope, I am also enclosing ten  $\in$  in cash in order to cover return postage.

I would very much appreciate your signing the enclosed Declaration without detaching WO98/44898, and returning it to us as soon as possible.

Also, we would be grateful if you would keep us informed of any changes to your address. If your address has changed from that noted on the attached declaration, please update address details on the form in manuscript.

Séverine Poette 20 November 2002 Page 2

I thank you in anticipation of your prompt attention to this matter and look forward to receiving the executed document as a matter of extreme urgency.

Yours very truly,

Frederick H. Rabin

CorHRA

FHR/myw

Enclosure

cc: Ms. Amanda Wilde, Reckitt Benckiser plc, Ref. 10456P2USw

30124663.doc

#### COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I Séverine POETTE hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am an original, first and joint inventor, together with Bruno GUILLAUME, Philippe LEDON, Annick CANELAS, David ACHER, Gerd DAHMS, Sarah DESMOTS and Hubert DELAGNEAU, of the subject matter which is claimed and for which a patent is sought on the invention entitled DEPILATORY COMPOSITIONS, THEIR PREPARATION AND USE, the specification of which:

was filed on <u>September 24, 1999</u> as Application Serial No. <u>09/381,890</u> and, was described and claimed in PCT International Application No. <u>PCT/GB98/00950</u> filed on <u>30 March 1998</u>.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose all information I know to be material to patentability in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:

Country	Application No.	Filing Date	Priority Claimed
European	97400811.2	9 April 1997	[X] Yes [] No
British	971 1 447.4	4 June 1997	[X] Yes [] No

I hereby appoint the following attorneys and/or agents to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Frederick H. Rabin, Reg. No. 24,488 William J. Hone, Reg. No. 26,739 Stephan J. Filipek, Reg. No. 33,384 Stuart Macphail, Reg. No. 44,217 David R. Francescani, Reg. No. 25,159 Jack Brennan, Reg. No. 47,443 John B. Pegram, Reg. No. 25,198 Richard P. Ferrara, Reg. No. 30,632 Samuel Borodach, Reg. No. 38,388 Chris T. Mizumoto, Reg. No. 42,899 Edmond R. Bannon, Reg. No. 32,110

Address all telephone calls to FREDERICK H. RABIN at telephone number (212) 765-5070.

Address all correspondence to FREDERICK H. RABIN at:

FISH & RICHARDSON P.C. 45 Rockefeller Plaza, Suite 2800 New York, New York10111

Date:

#### Combined Declaration and Power of Attorney Page 2 of 2 Pages

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patents issued thereon.

Full	Name	of
Inve	ntor:	

SÉVERINE POETTE

Inventor's Signature:

Nonancourt, France

Residence Address:

France

Citizenship:

Post Office Address:

Les berges de l'Aure 1877, rue de l'Abreuvoir 27320 Nonancourt

FRANCE

30065624.doc

# CORREO AEREO PAR AVION ( AIR MAIL



FISH & RICHARDSON P.C.

45 Rockefeller Plaza Suite 2800 New York, New York 10111

Fish & Richardson P.C. 45 Rockefeller Plaza, Suite 2800 New York, NY 10111 U.S.A. Frederick H. Rabin

#### WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



#### INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6: (11) International Publication Number: WO 98/44898 **A1** A61K 7/155 (43) International Publication Date: 15 October 1998 (15.10.98) [FR/FR]; Les Otillets 16, La Potinière, F-27320 Nonan-(21) International Application Number: PCT/GB98/00950 court (FR). DAHMS, Gerd [DE/DE]; Beerenbusch 11, D-42549 Velben (DE), DESMOTS, Sarah [FR/FR]; 4, rue 30 March 1998 (30.03.98) (22) International Filing Date:

(30) Priority Data: 9 April 1997 (09.04.97) EP 97400811.2 (34) Countries for which the regional or international application was filed: FR et al. 4 June 1997 (04.06.97) GB

(71) Applicant (for all designated States except MN US): RECKITT & COLMAN FRANCE [FR/FR]; 15, rue Ampère, Boîte Postale 83, F-91301 Massy Cedex (FR).

(71) Applicant (for MN only): RECKITT & COLMAN PRODUCTS LIMITED [GB/GB]; One Burlington Lane, London W4 2RW (GB).

(72) Inventors; and

(75) Inventors/Applicants (for US only): GUILLAUME, Bruno [FR/FR]; 3, impasse de la Chesnaye, Craches, F-78660 Prunay en Yvelines (FR). LEDON, Philippe [FR/FR]; 5, hauts de Chateau, F-28300 Saint Prest (FR). CANELAS. Annick [FR/FR]; 53, rue de Voves, F-28630 Le Coudray (FR). ACHER, David [FR/FR]; 1, rue Jean Laillet, Appartement 10, F-28000 Chartres (FR). HEMERY, Séverine de la Fulda, F-28100 Dreux (FR). DELAGNEAU, Hubert [FR/FR]; 14, rue des Tilleuls, Bailleau l'Eveque, F-28300 Mainvilliers (FR).

(74) Agents: ILOTT, Elizabeth, Anne et al.; Reckitt & Colman plc, Group Patents Dept., Dansorn Lane, Hull HU8 7DS (GB).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

**Published** 

With international search report.

(54) Title: DEPILATORY COMPOSITIONS, THEIR PREPARATION AND USE

(57) Abstract

A depilatory composition in the form of an aqueous gel comprises a substance capable of degrading hair keratin and a water-soluble polymeric binder and is buffered to a pH of from 10.5 to 13.0. The polymeric binder is formed from a first component that is a charged cross-linked polymer and a second component that comprises a linear non-ionic and/or charged polymer. The composition is preferably in the form of a stable gel that can be applied by means of a pump spray.

#### FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Begin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL.	Israel	MR	Mauritania	ÜG	Uganda
BY	Belarus	IS	loeland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ.	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	, NL	Netherlands	YU	Yugoslavia
СН	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
cz	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Bstonia	LR	Liberia	SG	Singapore		
	_						
1							

#### DEPILATORY COMPOSITIONS, THEIR PREPARATION AND USE

This invention relates to depilatory compositions, in particular those in the form of a gel.

5 Compositions for removing superfluous body hair are well known. These are of various types. type of composition is in the form of a cream containing a depilatory agent which degrades hair keratin. In the case of a depilatory cream, hair is removed by applying the cream to an area of skin to 10 be depilated, leaving the cream on the skin for sufficient time for the hair to be chemically dissolved, and then wiping and/or washing the cream and unwanted hair from the skin. Another type of composition is in the form of a wax, which is 15 initially heated before being applied to the skin in a generally molten state. It is then allowed to solidify before being removed from the skin together with unwanted hair.

British patent specification no. GB 2 223 1 70

discloses a two-part depilatory composition in which
the first part comprises polyvinyl alcohol (PVA) and
the second part comprises borax and a polyhyd roxy
alcohol, or Congo red; the second part functioning to
effect a controlled rate of cross-linking of the PVA.

After in situ cross-linking, such compositions
solidify, requiring the use of a plasticiser to
enable the solid to be peeled from the skin. Such
compositions preferably also include a surfactant.

Depilatory compositions in the form of a g el are less common and attempts to market such gels have had

15

only limited success. The gels tended to have a higher skin irritancy than cream depilatories and became very sticky when being rinsed off because of the nature of the polymer present in the formulation. Moreover, depilatory compositions need to be of high pH, and problems were encountered in formulating a gel which would be stable in such highly alkaline conditions.

It is an aim of the present invention to provide a depilatory composition in the form of a gel which does not suffer from these disadvantages.

It is a further aim of the present invention to provide a depilatory composition in the form of a gel which may be sprayed onto the skin without propellant.

It is another aim of the present invention to provide a depilatory gel having a reduced tendency to irritate the skin.

It has been found that these aims can be achieved by forming a gel from two water-soluble polymeric components and in a pH environment maintained by a preferred buffer system. One of the polymeric components provides the gel with appropriate viscosity and the other polymeric component contributes to the stability of the gel.

Accordingly, one aspect of the present invention provides a depilatory composition in the form of an aqueous alkaline gel comprising:-



- (i) a first polymeric binder comprising a charged, cross-linked, water-soluble polymer;
- (ii) a second polymeric binder comprising a

  linear, water-soluble polymer;
  - (iii) a depilatory agent; and
- (iv) a buffer system capable of maintaining the pH of the composition at a value of from 10.5 to 13.0.

Preferably, the composition remains in the form of an aqueous alkaline gel in use.

- According to another aspect of the present invention, there is provided a process for producing a depilatory composition, which process comprises:-
- (i) forming a first premix by mixing water and a first polymeric binder comprising a charged, cross-linked, water-soluble polymer; forming a second premix by mixing water, a buffer and a second polymeric binder comprising a linear, water-soluble polymer; and optionally forming a third premix by mixing a depilatory agent and a keratin degradation accelerator;
  - (ii) adding a depilatory agent or the third premix to the second premix with stirring;

- (iii) adding the first premix to the resultant
   mixture with stirring; and
- (iv) adjusting the pH to between 10.5 and 13.0.

The depilatory compositions of the present invention accordingly possess unique rheological qualities, which can be defined inter alia by their characteristic viscosity properties. For example, the shear rate (in seconds<sup>-1</sup>) needed to decrease the 10 viscosity of the gel by half is in the range of from about  $10^{-2}$  s<sup>-1</sup> to about 200 s<sup>-1</sup>, preferably from about 1 s<sup>-1</sup> to about 50 s<sup>-1</sup>. Such a large drop in the viscosity of depilatory compositions is not seen with prior art formulations over these shear rate ranges. 15 At a low shear rate of about  $10^{-2} \, \mathrm{s}^{-1}$ , the visco sity of the compositions of the present invention is of the order of 103 Pas (106 cP), whereas at a high shear rate of about 500 s<sup>-1</sup>, their viscosity is of the order of about 0.1 Pas (100 cP). At a very high shear rate of the order of  $4\times10^4$  s<sup>-1</sup>, such as that effected by a 20 spray-pump (see Table 2 below), it is extremely difficult to measure viscosity, but it can be envisaged that that of the compositions of the present invention would be very low.

25

30

Preferably, a gel in accordance with the present invention has unique viscosity and elasticity.

sustained high ionic strength and high pH.

The cross-linked polymer of the first component is such that it swells at high pH (pH 10.5 to 13 ) and preferably has only carbon-carbon bond

cross-linkages. More preferably, the elastic modulus of the first component is in the range of from 200 Pa to 1000 Pa, conveniently, 400 Pa to 600 Pa, when measured at a frequency of 10 rad/s; at a temperature of 20°C and a strain of 0.1. The elastic (storage) modulus (G') corresponds to the energy which can be stored and released by the material.

Suitable first components include a cross-linked acrylic polymer such as a carbomer, for example,

Ultrez 10 and/or Carbopol ETD 2020 from Goodrich, and structure 2000 and 3001 from National Starch.

Another suitable polymer is a cross-linked polyacrylamide such as Seppigel 305. Most preferably, the polymer of the first component is a copolymer of methyl vinyl ether and maleic anhydride cross-linked with dodecadiene available from ISP under the trade designation Antaron Stabilise 06.

Preferably, the depilatory composition includes from 0.1% to 3.0% by weight of the first component.

The second component is a linear non-ionic polymer and/or a positively charged polymer and/or a negatively charged polymer. The second, linear component is one which acts as a suspending agent for the gel and moderates the elastic modulus thereof to enable spreadability. Any suitable linear polymer may be chosen which enables the gel structure to be maintained at the osmotic pressure in the composition. Such linear polymers include hydrophilic polymers having a molecular weight of less than about 600 and non-ionic gel-forming polymers. For example, the second component may

WO 98/44898

5

25

comprise a water-soluble non-ionic polymer such as polyethylenimine, polyethylene oxide or polyethylene glycol (PEG), a hydrophobically-modified polyol such as Acrysol 44 from Rohm and Haas, or a polyvinyl pyrrolidone such as PVP K from ISP or Luviskol from BASF.

Alternatively, or additionally, the second component may comprise a natural water-soluble polymer such as cellulose, hydroxypropyl cellulose, cetyl hydroxyethyl or propyl cellulose (for example 10 Natrosol Plus from Aqualon), starch, polygluco side, a polysaccharide such as an alginate, guar gum, carrageenan (lambda, kappa, iota), a sclerotium gum, a polypeptide with or without any alkyl chain (C1 to C18) modification and cationic end groups such as 15 quaternary ammonium groups with counter ions such as chlorides and bromides, or a copolymer of sodium acrylate and dimethyl diallyl ammonium chloride (such as that known as Merquat), or a copolymer of hydroxy ethyl cellulose and dimethyl diallyl ammonium chloride (such as that known as Celquat). 20

Most preferably, the second component comprises polyethylenimine (such as that known under the trade name Lupasol from BASF) and/or polyvinyl pyrrolidone (such as that known under the trade designation PVP K-30 from ISP).

Preferably, the depilatory composition includes from 0.2% to 3.0% by weight of the second component.

The first and second components, when combined in accordance with the present invention, form a

10

15

20

polymeric binder having unique viscosity and elasticity.

The depilatory agent may comprise any substance capable of degrading keratin and may be, for example, a sulphur compound such as potassium thioglycolate, dipotassium thioglycolate or thioglycerol.

Preferably, the depilatory composition includes from 0.1% to 6.0% by weight of depilatory agent, preferably from about 3.0% to 5.0%.

Also, the composition may optionally include component(s) which will accelerate the keratin reduction reaction such as urea, thiourea or dithioerythritol, dimethyl isosorbide (DMI), ethoxydiglycol (Transcutol) and methyl propyldiol (MP diol). DMI is preferred.

It is important that the pH of the composition is in the range of from about 10.5 to 13, and preferably about 11.0 to 12.5, to provide good depilation within about 5 minutes. In order to achieve this, a suitable buffer should be present, such as sodium silicate and/or L-arginine, sodium nicotinate and potassium polyethylenimine or a phosphate.

25 Generally, the buffer system will be present in an amount of from about 2.0% to 8.0% by weight, preferably from about 2.0% to 4.0% by weight.

Advantageously, the buffer system comprises from 2.0% to 3.0% by weight of L-arginine and from 0 to 1.0% by weight of polyethylenimine.

30

The pH buffer system preferably ensures efficacy of the depilation within 5 minutes whilst also minimizing skin irritation.

-8-

- In order to achieve minimum skin irritation, a composition including L-arginine and/or polyethylenimine, urea and potassium and/or dipotassium thioglycolate is preferred.
- In accordance with a preferred depilatory Composition of the present invention, there is provided an aqueous alkaline gel comprising:
- (i) 0.1% to 3.0% w/w of a first polymeric binder comprising a charged, cross-linked,
   15 water-soluble polymer, preferably a copolymer of methyl vinyl ether and maleic anhydride cross-linked with dodecadiene;
- (ii) 0.2% to 3.0% w/w of a second polymeric binder comprising a linear, water-soluble polymer, preferably polyethylenimine and/or polyvinyl pyrrolidone;
  - (iii) 0.1% to 6.0% w/w, preferably 3.0% to 5.0%
     w/w of a depilatory agent, preferably
     potassium and/or dipotassium
     thioglycolate;
    - (iv) 2.0% to 6.0% w/w, preferably 2.0% to
      4.0% w/w of a buffer system, preferably
      L-arginine and/or polyethylenimine; and,
      optionally,

10

30

(v) 5.0% to 10.0% w/w of an acelerator for the degradation of keratin, preferably urea;

whereby the composition preferably remains in the form of an aqueous alkaline gel in use.

The gels according to the present invention are preferably transparent and remain transparent in use, depending on the amount of active ingredients present and on the procedure of mixing. Generally, they have a thick, rich feel and excellent rinsability with water. Moreover it is not necessary to include a surfactant in the compositions of the present invention, and hence they are less likely to cause skin damage.

15 Due to the special rheology of the polymeric binder, it is possible to include beads, dyes and/or oily particles which will remain dispersed in the gel. Optional excipients include compounds for soothing the skin such as azulene or jojoba and polyethylene glycol ester to reduce irritation. 20 Suitable beads include encapsulated algae extract and sweet almond oil (Elespher). It is also possible to include hydrating, accelerating and/or reducing agents in beads. For example, water-soluble materials such as urea, potassium thioglycolate or thioglycerol can be included in beads, so that these 25 actives are encapsulated.

Although it is possible to provide a gelin accordance with the present invention that has visco-elastic properties suitable for spraying, the depilatory material may alternatively be applied by

means of a roll-on device or in conventional shower qel packaging.

Other ingredients may be included in the compositions of the invention, such as are known in the art.

Unless otherwise stated, all percentage weights referred to herein are % weights based on the weight of the total composition.

For a better understanding of the invention and to show how the same may be carried into effect, reference will now be made, by way of example, to the accompanying drawings, in which:-

Figure 1 is a graph of shear stress (Pa) against shear rate (s<sup>-1</sup>) for a series of polymeric binders (first component) for the composition of the invention;

Figure 2 is a graph of the yield points (Pa) of the binders of Figure 1 against the cross-linked polymer (first component) contents (% w/w) of the binders;

Figure 3 is a graph of viscosities (Pas) of the binders of Figure 1 against the shear rate (s<sup>-1</sup>) of the binders; and

Figure 4 is a graph of the elastic (G') and viscous (G'') moduli against stress/strain (Pa) of the first component of the composition.

The following Examples illustrate the invention:



### EXAMPLES 1 TO 6

A series of depilatory gels was prepared having the compositions shown in the following Table 1:

5 TABLE 1

	TABLE 1						
		1	2	3	4	5	6
	Phase 1						
	Polymer A	3.0%	2.5%	2.25%	2.0%	1.5%	1.0%
10	deionised water	47.0%	39.0%	36.35%	31.4%	23.5%	15.7%
	Phase 2						
	Polymer B	2.0%	2.0%	2.0%	2.0%	2.0%	2.0%
	pH buffer	3.0%	3.0%	3.0%	3.0%	3.0%	3.0%
15	deionised	10.7%	19.2%	24.8%	26.4%	38.3%	45.8%
13	water						
	phase 3						
	potassium	14.7%	14.7%	14.7%	14.7%	14.7%	14.7%
	thioglycolate						
20	(30%)						
20	urea	8.0%	8.0%	8.0%	8.0%	8.0%	8.0%
	Final mix						
	phase 1	50.0%	41.5%	37.5%	33.4%	25.0%	16.7%
	Phase 2	15.7%	24.2%	29.8%	33.4%	43.3%	50.8%
2:	phase 3	22.7%	22.7%	22.7%	22.7%	22.7%	22.7%
	Potassium	11.6%	11.6%	10.0%	10.5%	9.0%	9.8%
	hydroxide 50%						
	Total	100%	100%	100%	100%	100%	100%
	Total deionised	57.5%	58.0%	59.9%	59.6%	1.6%	61.3%
3	0 water						





All amounts are expressed as % weight/weight total composition. Polymer A was a methyl vinyl ether/maleic anhydride copolymer cross-linked with dodecadiene known under the trade designation Antaron ST06 from ISP; and polymer B was polyvinyl pyrrolidone known under the trade designation PVP K-30 from ISP. The pH buffer system was a combination of 2% w/w of L-arginine and 1% w/w of polyethylenimine.

In each case, an Olsa mixer with planar stirring and a high shear stirrer equipped with a vacuum and heating/cooling system was used. The procedure was as follows:

#### Phase 1: Premix polymer A and water.

The water was placed in the mixer and polymer A
was added slowly with stirring. When the polymer had
been dispersed, heating was commenced whilst
maintaining a vacuum of about 0.5 to 0.8 bar to avoid
air bubbles. The vacuum pump was operating
intermittently in order to reduce water loss. When
the temperature had reached about 80°C an almost
clear gel had been formed. This was allowed to cool
and swell overnight.

#### Phase 2: Premix polymer B, water, pH buffer

The water and polymer B were introduced into the mixer and homogenised for 2 minutes. The pH buffer system was then added and the mixture homogenised for a further 2 minutes.

15

20

25

30

-13-

#### Phase 3: Urea and potassium thioglycolate

The urea was added to the potassium thioglycolate in a beaker and stirred for 1 hour to complete dissolution.

5
 Final mixing: The final mixing was effected as
 follows:-

Phase 2 was placed in the vessel and phase 3 was added with stirring for 15 minutes. A white precipitate appeared. Phase 1 was added while mixing slowly under vacuum (0.5 bar) with planar stirring and the high shear stirrer operated at low speed. The mixture was homogenised for 30 minutes until a lumpy gel had been formed. The potassium hydroxide was then added. The gel became clear and transparent. The pH was adjusted, as necessary, to from 11.0 to 12.5.

Each of the resultant gels was subjected to rheological measurement. The parameters considered were shear stress, shear rate, viscosity and yield point. The results are shown in the Figures.

As can be seen from Figure 1, the variation of shear stress with shear rate is non-linear between 0 and 500 s<sup>-1</sup> and thus the gel has a non-Newtonian behaviour with a yield point. The yield point is the stress required to make the gel flow. Figure 2 shows that the variation of the yield point (TauO), i.e. the shear stress for zero shear rate, varies exponentially. For a small variation in the amount of polymer A, the variation in the yield point, i.e. the variation in spreadability or consistency, may be significant.



The following table, Table 2, gives characteristic shear rates of products to be sprayed with a conventional pump spray and products to be applied from a shower gel packaging.

#### 5 TABLE 2

Type of packaging	Flow Rate (from packaging) of product (cm³/s)	Radius of the external output (cm)	
10 Pump Spray	0.17	0.0175 (radius of the actuator)	500-40 000
Shower gel packaging	8.8	ca 0.15	500-30 000

The relationship between shear rate and viscosity is shown in Figure 3, from which it can be seen that, at the shear rates given in Table 2, the visco sity is

20

25

30

very low.

It has been found that, in order for the gel to be sprayable with a pump spray, its yield point should be not more than from 100 to 200 Pa. If, however, the gel is to be used in a shower gel pack, the yield point may be as high as 300 Pa. Also, in order for the product to remain still for 5 minutes on the skin when held vertical, the yield point needs to be about 60 Pa or more. Thus gels wherein polymer A constitutes from 2.0% to 2.5% w/w are preferred for spraying, whereas rather lower percentages of polymer A may be present where the gel is to be used in the form of a shower gel packaging.

10

15

In a further series of experiments, the blue powder Azulene was dissolved in thick paraffin oil to produce a 1% w/w solution. 2% w/w of this solution was then slowly added to each of the above gels and stirred for 5 minutes. The Azulene remained stably suspended within the gel in the form of blue oily droplets. Depending upon the concentration of Azulene in the premix and the concentration of premix in the gel, the size and colour of the droplets and the overall transparency of the gel could be adjusted.

In a further series of experiments, 0.5% w/w of Elespher was slowly added to each gel and stirred for 5 minutes. Elespher consists of encapsulated beads of algae extract and sweet almond oil, and is green in colour. The beads were stably suspended in the gel.

#### EXAMPLE 7

20

Gels were made in accordance with the following Table 3:

TABLE 3

25 [		%w/w
	Phase 1	
	polymer A	1-3
	water	40.0
30	KOH 50%	4.0
	Total phase 1	47.0

Phase 2	
polymer B	O.6-3
buffer system	3.0
5 water	8.2
Total phase 2	11.8
Phase 3	
water	6.5
10 potassium	14.7
thioglycolate (30%)	
Total phase 3	29.2
water	to 100.0
КОН 50%	6.15

The amount of water was varied depending upon the amounts of polymers A and B present. Polymers A and B were as used in Examples 1 to 6 and the mixing technique employed was as described in those examples. In each case, stable, sprayable depilatory gels were obtained. This showed that for a range of polymer A between 1.0% and 3.0%, a range of polymer B between 0.6% and 3.0% could be used and a stable, sprayable gel formed.

#### CLAIMS

- 1. A depilatory composition in the form of an aqueous alkaline gel comprising:
- (i) a first polymeric binder comprising a charged, cross-linked, water-soluble polymer;
- (ii) a second polymeric binder comprising a
  linear, water-soluble polymer;
  - (iii) a depilatory agent; and
- (iv) a buffer system capable of maintaining the pH of the composition at a value of from 10.5 to 13.0.
  - 2. A depilatory composition as claimed in claim 1, wherein the cross-linked polymer of the first component is a cross-linked acrylic polymer, a cross-linked polyacrylamide or a copolymer of methyl vinyl ether and maleic anhydride cross-linked with dodecadiene.
  - 3. A depilatory composition as claimed in claim 1 or 2, which includes from 0.1 to 3.0% w/w of the first component.
  - 4. A depilatory composition as claimed in any of claims 1 to 3, wherein the second component comprises a linear, non-ionic polymer and/or positively charged polymer and/or negatively charged polymer.

20

5. A depilatory composition as claimed in claim 4, wherein the second component comprises one or more of polyethylenimine, polyvinyl pyrrolidone, polyethylene oxide, polyethylene glycol, cellulose, hydroxy propyl cellulose, cetyl hydroxy ethyl cellulose, cetyl hydroxy propyl cellulose, starch, a polyglucoside, a polysaccharide, guar gum, Carrageenan, a sclerotium gum, a polypeptide, and a copolymer of sodium acrylate or of hydroxy ethyl cellulose with dimethyl diallyl ammonium chloride.

10


20


5


- 6. A depilatory composition as claimed in any preceding claim, which includes from 0.2 to 3.0% w/w of the second component.
- 7. A depilatory composition as claimed in any preceding claim, wherein the depilatory agent is potassium thioglycolate or thioglycerol.
  - 8. A depilatory composition as claimed in any preceding claim, including an accelerator for the degradation of keratin, such as urea, thiourea, dithioerythritol, ethoxydiglycol or methylpropyldiol.
    - 9. A depilatory composition as claimed in any preceding claim, including a buffer system comprising a silicate, arginine such as L-arginine, a nicotinate, polyethylenimine or a phosphate.
      - 10. A depilatory composition as claimed in any preceding claim and having a yield point of not more than 200 Pa.


- 11. A depilatory composition as claimed in any preceding claim, wherein the shear rate needed to decrease the viscosity of the gel by half is in the range of from  $10^{-2}$  s<sup>-1</sup> to 200 s<sup>-1</sup>, preferably from 1 s<sup>-1</sup> to 50 s<sup>-1</sup>.
- 12. A depilatory composition as claimed in any preceding claim, in the form of a sprayable gel.
- 13. A process for producing a depilatory composition
  10 as claimed in any preceding claim, which process

  comprises:-
- (i) forming a first premix by mixing water and the first component; forming a second premix by mixing water, a buffer and the second component; and optionally forming a third premix by mixing a depilatory agent and a keratin degradation accelerator;
- (ii) adding a depilatory agent or the third premix to the second premix with stirring;
  - (iii) adding the first premix to the resultant
     mixture with stirring; and
  - (iv) adjusting the pH to between 10.5 to 13.0.









## INTERNATIONAL SEARCH REPORT

In ation No PCT/GB 98/00950

A. CLASSIFI	CATION OF SUBJECT MATTER A61K7/155				
	International Patent Classification (IPC) or to both national classification	ation and IPC			
B. FIELDS S	SEARCHED cumentation searched (classification system followed by classification	on symbols:			
IPC 6	A61K	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	İ		
•					
Documentation	on searched other than minimumdocumentation to the extent that s	uch documents are included in the lields sea	rched		
Electronic da	ala base consulted during the international search (name of clata ba	ise and, where practical, search lerms used)			
C. DOCUME	ENTS CONSIDERED TO BE RELEVANT				
Category *	Citation of document, with indication, where appropriate, of the re-	evant passages	Relevant to claim No		
X	WO 91 02538 A (JOHN MORRIS CO., March 1991 see example 9	INC.) 7	1		
A	EP 0 196 896 A (NITTO ELECTRIC I LTD) 8 October 1986	ND. CO.,	1 .		
A	US 4 842 610 A (H. GORDON ET AL. 1989	) 27 June	1		
A	DATABASE "CHEMICAL ABSTRACTS" (HOST: STN), Abs.110: 198 956, Colombus, OH, USA; & JP 63 313 618 (OSAKA AEROSOL IND. CO.) 21 December 1988 xp002071920				
A,P	FR 2 751 873 A (C. DES GARETS) (	6 February	1		
Fu	urther documents are listed in the continuation of box C.	χ Patent family members are listed	en annex.		
' Special	categories of cited documents :		amational filing data		
"A" docu	ment defining the general state of the art which is not sidered to be of particular relevance	T* later document published after the inte or priority date and not a conflict with cited to understand the principle or the invention	the application but		
tiling	er do cument but published on or after the international g date	"X" document of particular relevance; the cannot be considered rovel or canno involve. An investigation when the di	t be considered to		
l whi	"L" document which may throw doubts on priority claim(s) or which is cited to establish the publicationdate of another criation or other special reason (as specified) cannot be considered to involve an inventive step when the Current is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the				
.O. docr	ument referring to an oral disclosure, use, exhibition or er means	document is combined with one or m ments, such combination being obvio	ore other such docu-		
-P. docu	rment published prior to the international filing date but or than the priority date claimed	in the airt. "&" document member of the same paten			
Date of the	he actual completion of theinternational search	Date of mailing of the International se	arch report		
	17 July 1998	29/07/1998			
Name ar	nd mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2	Authorized officer			
	NL · 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Glikman, J-F			

PCT/GB 98/00950

Information o	n patent lamily	members
---------------	-----------------	---------

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9102538	A	07-03-1991	AU 6425590 A CA 2065044 A EP 0487648 A JP 5503071 T	03-04-1991 19-02-1991 03-06-1992 27-05-1993
EP 196896	A	08-10-1986	JP 62192316 A JP 61220612 A JP 1794446 C JP 4080682 B JP 61276506 A US 4830633 A	2 2-08-1987 3 0-09-1986 1 4-10-1993 2 1-12-1992 06-12-1986 1 6-05-1989
US 4842610	Α	27-06-1989	NONE	
FR 2751873	A	06-02-1998	NONE	

# RECEIVED

FISH & RICHARDSON, P.C. NEWYORK CITY OFFICE




# AIR MAIL CORREO AEREO PAR AVION



FISH & RICHARDSON P.C.

45 Rockefeller Plaza Suite 2800 New York, New York Mme. Severing Poette Les berges de l'avre 877 rue de l'Abreuvoir F-27320 Nonancourt ERANCE





# Une ville, une adresse,




Pages Pages Pages Planches	Annuaire Les Rues Recherche Annuaires Mail Commerçantes Inverse du monde		
> Recherchez un partic	culier avec les Pages Blanches		vendredi
·		7	A dégouvrir
🛕 Il n'y a pas de			Les Photos de Vill
	Lancer la recherche dans tout le département		Les photo
	Lancer la recherche dans les localités voisines		ou de faç la ville qu sélectionr
		1	votre ville :
F	• •	V	paris.planresto.fr
			Une envi
Nom	Poette		9000 rest parisiens
Prénom	Severine		quidonc SMS
Adresse			Envoyez
	ex : 7 av de la cristallerie		tel. fixe o
Localité	NONANCOURT . Guide		nom par
	ex : rennes, paris 9, 37100		
Département	Guide		
ou région	ex : 92, finistère, aquitaine, idf		
	Rechercher		
b			d
SIT	PAGESPRO recherche sur le Web		വ്യൂദ്ദേശം

Pages Jaunes | Pages Blanches | Annuaires Mails | Rues Commerçantes | Recherche par N° | Annuaires du Monde Nous écrire | FAQ | Plan du site | S'afficher | Pages Jaunes recrute | Aide | Version anglaise Protection des données | © 2002 Pages Jaunes

Nous écrire PAQ Plan du site s'afficher Pages Jaunes recrute Aide

**U** pagesjaunes



Pages Jaunes | Pages Blanches | Annuaires Mails | Rues Commerçantes | Recherche par Nº | Annuaires du Monde Nous écrire | FAQ | Plan du site | S'afficher | Pages Jaunes recrute | Aide | Version anglaise Protection des données | © 2002 Pages Jaunes


Nous écrire PAQ Plan du site s'afficher Pages Jaunes recrute Aide

**INPAGESPRO** 

quidone

OMPASS

**E** pagesjaunes



SOLEOWRIR

**EPAGESPRO** 



OMPASS

quidone

**pagesjaunes** 

Nous écrire PAQ Plan du site s'afficher Pages Jaunes recrute Aide



# Une ville, une adresse,



Pages Pa Jaunes Bla	ges anches	Annuaire Mail	Les Rues Commerçante	Recherches Inverse	Annuaires V		
Recherchez	z un parti	culier avec l	es Pages Blancl	hes			vendredi
F						4	A découvrir
⚠ Il n'y	a pas de	réponse					Les Photos de Vill
		Lancer la rec	herche dans la régior	entière			Les photo
	•	Lancer la rec	herche dans un dépa	rtement voisin			ou de faç
		Lancer la rec	herche sans le préno	m ni l'adresse			la ville qu sélectionr
							votre ville : 💌
<b>L</b> .						4	
						T	paris.planresto.fr
							Une envie budget, u
							9000 rest
	Nom	Poette		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			parisiens
	Prénom	Severine	have my to display the displayment to purple.				quidonc SMS
	Adresse						Envoyez u tel. fixe o
	Auresse	ev · 7 av de	la cristallerie	. Service and the service of the ser			61800 et
		ex . / av ue	la cristalierie		-		nom par s
L	ocalité				Guide		
•		ex : rennes, ¡	oaris 9, 37100				
Dé <sub>l</sub>	partement		IONS		Guide		
	ou région		stère, aquitaine, i	df			
			20.20				
		Rechercho	er )				

**IPAGESPRO** 




OMPASS

& pagesjaunes

Ës.

Nous écrire PAQ Plan du site s'afficher Pages Jaunes recrute Aide



**WPAGESPRO** 



OMPASS



**D** pagesjaunes

Plan du site s'afficher Pages Jaunes recrute Aide



Dages du Demandez, c'est	trouvél	he Y Annuaires Y	
	Annuaire Les Rues Recherc Mail Commerçantes Recherc Inverse	du monde	
> Recherchez un parti	culier avec les Pages Blanches		vendredi
	réponse		Les Photos de Vill
	Lancer la recherche dans tout le département  Lancer la recherche dans les localités voisines		Les photo ou de façi la ville qu sélectionr
<b>L</b>			votre ville : 🔽
P			paris.planresto.fr
Nom	Hemery		Une envie budget, u 9000 rest parisiens
Prénom	Severine		
Adresse	ex : 7 av de la cristallerie		quidonc SMS Envoyez tel. fixe of
Localité	NONANCOURT ex : rennes, paris 9, 37100	(Good later)	nom par S
Département ou région	ex : 92, finistère, aquitaine, idf	(Colida)	

**EPAGESPRO** 







Nous écrire PAQ Plan du site s'afficher Pages Jaunes recrute Aide





# Une ville, une adresse,



Pratiqu

Annuair

Pages	Y	Pages Blanck
Jaunes		Blanc

**Annuaire** 

Les Rues Commerçantes | Inverse

Recherche

**Annuaires** 

>	Recherchez un	particulier	avec les	<b>Pages</b>	Blanches
---	---------------	-------------	----------	--------------	----------

vendredi

Votre requête : HEMERY SEVERINE

**EURE** 

> Inscriptions en orthographe approchée

1 réponse(s)

(liste 1-1)

> VERNON (27200)

**Emiry Séverine** 

résid Les Blanchères 11 r Poterie 27200 VERNON

02 32 54 08 99



#### **Autre recherche Pages Blanches:**

Les Pa

Rechero

une acti Pages J

✓ ave

Hemery Nom Severine Prénom

Adresse

Département

Localité

**EURE** ou région Rechercher


Rechercher sur le web avec

Voila!

& pagesjaunes

Nous ecrire FAQ Plan du site s'afficher Pages Jaunes recrute Aide





Pages Jaunes | Pages Blanches | Annuaires Mails | Rues Commerçantes | Recherche par N° | Annuaires du Monde Nous écrire | FAQ | Plan du site | S'afficher | Pages Jaunes recrute | Aide | Version anglaise Protection des données | © 2002 Pages Jaunes

Plan du site s'afficher Pages Jaunes recrute Aide

& pagesjaunes

pageslaur	estr	Hill					.,
Demandez, c'est	trouvé l	,		* ,		<u> </u>	
	Annuaire Y Les	Rues mmerçantes	Recherche Inverse	Annuaires V			
> Recherchez un parti	culier avec les P	ages Blanche	s				vendredi
↑ Il n'y a pas de	réponse				7	A 450000	
<u>~</u> ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	Lancer la recherc	he dans tout le dé	partement			Les Phot	os de Vill
	Lancer la rechero	he dans les localité	és voisines				Les photo ou de faça la ville qu sélectionr
<u> </u>					4	votre v	ille : 🔽
					V	paris.pla	nresto.fr
						1000	Une envie budget, u
Nom	Hemery	an adalasin sasah, kala dalah dagan pagsan adalah sasah sasah 3 (an 1994 - 1988 ANIS).	period in the second second second second second				9000 rest parisiens
Prénom	Severine						·
Adresse						Formula	ires Hébe 릭Intégrez I
	ex : 7 av de la ci	ristallerie					Jaunes su
Localité	NONANCOUR	<b>₹</b>		(elite			site
Locanco	ex : rennes, paris	more deposit communication and become		An annin a distance de			· · · · · · · · · · · · · · · · · · ·
Département				( <u>e010a</u>			
ou région	ex : 92, finistère	, aquitaine, idf	ANTERNA ANTONOMISMO COMP				
	(Rechercher)						
į.					٨		







& pagesjaunes

Nous écrire PAQ Plan du site s'afficher Pages Jaunes recrute Aide